

# C93200 Size schedule

Standard-stocked product

Continuous cast

## ASTM B505 tubes

Nominal size		Weight		Nominal size		Weight		Nominal size		Weight	
I.D.	x O.D.	per inch	per foot	I.D.	x O.D.	per inch	per foot	I.D.	x O.D.	per inch	per foot
1/2	x 1	0.224	2.692	1 1/8	x 1 3/8	0.206	2.467	1 3/4	x 2	0.327	3.925
	1 1/8	0.291	3.589		1 1/2	0.308	3.701		2 1/8	0.477	5.720
	1 1/4	0.383	4.598		1 5/8	0.411	4.935		2 1/4	0.626	7.514
	1 3/8	0.458	5.495		1 3/4	0.533	6.393		2 3/8	0.776	9.308
	1 1/2	0.561	6.729		2	0.785	9.421		2 1/2	0.935	11.215
	1 3/4	0.766	9.196		2 1/8	0.907	10.879		2 5/8	1.084	13.009
	2	1.019	12.224		2 1/4	1.056	12.673		2 3/4	1.262	15.140
									3	1.645	19.738
5/8	x 1	0.187	2.243	1 1/4	x 1 1/2	0.234	2.804	3 1/4	x 2	2.056	24.673
	1 1/8	0.262	3.140		1 5/8	0.336	4.037		3 1/2	2.486	29.832
	1 1/4	0.346	4.150		1 3/4	0.467	5.607		3 3/4	2.879	34.542
	1 3/8	0.439	5.271		1 7/8	0.589	7.065		4	3.533	42.393
	1 1/2	0.533	6.393		2	0.710	8.523		4 1/4	4.019	48.224
					2 1/8	0.841	10.093				
3/4	x 1	0.140	1.682		2 1/4	0.981	11.776	1 7/8	x 2 1/4	0.514	6.168
	1 1/8	0.215	2.579		2 1/2	1.290	15.477		2 3/8	0.673	8.075
	1 1/4	0.308	3.701		2 3/4	1.626	19.514		2 1/2	0.822	9.869
	1 3/8	0.393	4.710		3	2.000	24.000		2 5/8	0.972	11.664
	1 1/2	0.495	5.944		3 1/4	2.411	28.935		2 3/4	1.159	13.907
	1 5/8	0.579	6.953		3 1/2	2.832	33.981		3	1.495	17.944
	1 3/4	0.701	8.411		4	3.869	46.430				
	2	0.944	11.327					2	x 2 1/4	0.355	4.262
	2 1/4	1.215	14.579	1 3/8	x 1 5/8	0.271	3.252		2 3/8	0.551	6.617
	2 1/2	1.523	18.280		1 3/4	0.364	4.374		2 1/2	0.710	8.523
					1 7/8	0.486	5.832		2 5/8	0.869	10.430
7/8	x 1 1/8	0.168	2.019		2	0.636	7.626		2 3/4	1.037	12.449
	1 1/4	0.262	3.140		2 1/8	0.766	9.196		2 7/8	1.215	14.579
	1 3/8	0.336	4.037		2 1/4	0.907	10.879		3	1.430	17.159
	1 1/2	0.449	5.383		2 3/8	1.065	12.785		3 1/4	1.832	21.981
	1 5/8	0.551	6.617		2 1/2	1.206	14.467		3 1/2	2.252	27.028
	1 3/4	0.645	7.738						3 3/4	2.738	24.42
	1 7/8	0.776	9.308	1 1/2	x 1 3/4	0.280	3.364		4	3.308	39.701
	2	0.897	10.766		1 7/8	0.393	4.710		4 1/2	4.364	52.374
	2 1/4	1.168	14.019		2	0.551	6.617		5	5.533	66.393
					2 1/8	0.673	8.075		5 1/2	7.009	84.112
1	x 1 1/4	0.187	2.243		2 1/4	0.822	9.869		6	8.467	101.607
	1 3/8	0.290	3.477		2 3/8	0.981	11.776				
	1 1/2	0.393	4.710		2 1/2	1.131	13.570	2 1/8	x 2 5/8	0.738	8.860
	1 5/8	0.495	5.944		2 3/4	1.458	17.495		2 3/4	0.879	10.542
	1 3/4	0.607	7.290		3	1.841	22.093		2 7/8	1.093	13.121
	1 7/8	0.720	8.636		3 1/4	2.252	27.028		3	1.299	15.589
	2	0.850	10.206		3 1/2	2.664	31.963		3 1/2	2.121	25.458
	2 1/4	1.112	13.346		3 3/4	3.150	37.794				
	2 3/8	1.262	15.140		4	3.710	44.523	2 1/4	x 2 3/4	0.785	9.421
	2 1/2	1.421	17.047		4 1/2	4.776	57.308		2 7/8	0.953	11.439
	2 3/4	1.757	21.084						3	1.150	13.794
	3	2.131	25.570	1 5/8	x 2	0.430	5.159		3 1/8	1.327	15.925
	3 1/4	2.523	30.280		2 1/8	0.579	6.953		3 1/4	1.570	18.841
	3 1/2	2.963	35.551		2 1/4	0.729	8.748		3 1/2	2.000	24.000
	4	4.000	48.000		2 3/8	0.879	10.542		3 3/4	2.467	29.607
					2 1/2	1.028	12.336		4	3.056	36.673
					2 5/8	1.196	14.355		4 1/4	3.533	42.393
					2 3/4	1.355	16.262				
					3	1.748	20.972				

# C93200 Size schedule continued

## ASTM B505 tubes

Nominal size		Weight		Nominal size		Weight		Nominal size		Weight	
I.D.	x O.D.	per inch	per foot	I.D.	x O.D.	per inch	per foot	I.D.	x O.D.	per inch	per foot
2 3/8	x 2 3/4	0.589	7.065	3 1/2	x 4	1.234	14.804	5 1/4	x 7	6.084	73.009
	2 7/8	0.813	9.757		4 1/4	1.804	21.645				
	3	1.009	12.112		4 1/2	2.346	28.150	5 1/2	x 6	2.103	25.234
	3 1/4	1.355	16.262		4 3/4	2.897	34.766		6 1/2	3.692	44.299
	3 1/2	1.785	21.421		5	3.523	42.280		7	5.421	65.047
	4	2.841	34.093		5 1/4	4.336	52.037		7 1/2	7.262	87.140
					5 1/2	5.065	60.785		8	9.224	110.692
2 1/2	x 2 3/4	0.439	5.271		6	6.495	77.944				
	3	0.869	10.430		6 1/2	8.093	97.121	5 3/4	x 6 3/4	3.832	45.981
	3 1/8	1.065	12.785						7 1/4	5.636	67.626
	3 1/4	1.280	15.364	3 3/4	x 4 1/2	1.916	22.991		7 1/2	6.561	78.729
	3 1/2	1.720	20.636		4 3/4	2.449	29.383		8 1/2	10.654	127.850
	3 3/4	2.187	26.243		5	3.065	36.785				
	4	2.776	33.308		5 1/2	4.636	55.626	6	x 6 1/2	2.252	27.028
	4 1/4	3.318	39.813		6	6.056	72.673		6 3/4	3.121	37.458
	4 1/2	3.804	45.645						7	3.991	47.888
	4 3/4	4.355	52.262	4	x 4 1/2	1.393	16.710		7 1/4	4.907	58.879
	5	5.019	60.224		4 3/4	1.972	23.664		7 1/2	5.832	69.981
	5 1/2	6.467	77.607		5	2.598	31.178		8	7.804	93.645
	6	7.953	95.439		5 1/4	3.430	41.159		8 1/2	9.916	118.991
					5 1/2	4.121	49.458		9	12.112	145.346
2 5/8	x 3 1/2	1.542	18.505		6	5.589	67.065		10	17.103	205.234
					6 1/2	7.178	86.131		11	22.421	269.047
					7	8.907	106.879		12	28.271	339.252
2 3/4	x 3 1/4	0.944	11.327		7 1/2	10.748	128.972				
	3 1/2	1.364	16.374		8	12.710	152.523	6 1/2	x 7 1/4	3.374	40.486
	3 3/4	1.850	22.206		9	17.000	204.000		7 1/2	4.299	51.589
	4	2.449	29.383						8	6.262	75.140
	4 1/4	3.000	36.000	4 1/4	x 4 3/4	1.467	17.607		8 1/2	8.374	100.486
	4 1/2	3.495	41.944		5	2.084	25.009		9	10.589	127.065
	4 3/4	4.056	48.673		5 1/4	2.935	35.215		9 1/2	13.093	157.121
	5 3/4	6.981	83.776		5 1/2	3.617	43.402				
					6	5.093	61.121	7	x 7 3/4	3.589	43.065
2 7/8	x 4	2.299	27.589		6 1/2	6.673	80.075		8	4.598	55.178
									8 1/2	6.692	80.299
3	x 3 1/2	0.963	11.551	4 1/2	x 5	1.650	19.800		9	8.916	106.991
	3 3/4	1.495	17.944		5 1/4	2.346	28.150		9 1/2	11.421	137.047
	4	2.112	25.346		5 1/2	3.103	37.234		10	13.897	166.766
	4 1/4	2.664	31.963		6	4.551	54.617		11	19.271	231.252
	4 1/2	3.140	28.00		6 1/2	6.159	73.907		12	25.168	302.019
	4 3/4	3.738	44.860		7	7.860	94.318				
	5	4.346	52.150					7 1/2	x 8 1/2	4.916	58.991
	5 1/2	5.869	70.430						9	7.112	85.346
	6	7.280	87.364	4 3/4	x 5 1/4	1.822	21.869		9 1/2	9.617	115.402
	6 1/2	8.888	106.654		5 1/2	2.523	30.280		10	12.019	144.224
	7	10.607	127.290		5 3/4	3.234	38.804		10 1/2	14.757	177.084
	8	14.402	172.822		6	3.972	47.664				
					6 1/2	5.579	66.953				
3 1/4	x 3 3/4	1.037	12.449					8	x 9	5.308	63.701
	4	1.710	20.523	5	x 5 1/2	1.925	23.103		9 1/4	6.505	78.056
	4 1/4	2.271	27.252		5 3/4	2.636	31.626		9 1/2	7.729	92.748
	4 1/2	2.720	32.636		6	3.393	40.710		10	10.196	122.355
	4 3/4	3.318	39.813		6 1/2	5.000	60.000		10 1/2	12.841	154.093
	5	3.925	47.103		7	6.710	80.523		11	15.561	186.729
	5 1/2	5.439	65.271		7 1/2	8.561	102.729		12	21.421	257.047
					8	10.505	126.056		13	28.383	340.598
					9	14.813	177.757				
					10	20.056	240.673				
					11	26.067	312.800				

# C93200 Size schedule continued

## ASTM B505 tubes

Nominal size			Weight	Weight	Nominal size			Weight	Weight	Nominal size			Weight	Weight
I.D.	x	O.D.	per inch	per foot	I.D.	x	O.D.	per inch	per foot	I.D.	x	O.D.	per inch	per foot
8 1/2	x	9 1/2	5.869	70.430	10	x	11	6.794	81.533	11 1/2	x	13	11.140	133.682
		10	8.159	97.907			11 1/2	9.533	114.393			13 1/2	14.542	174.505
		10 1/2	10.738	128.860			12	12.551	150.617			14 1/2	21.570	258.841
		11 1/2	16.748	200.972			13	19.159	229.907					
							14	26.019	312.224	12	x	13 1/2	11.813	141.757
9	x	10	6.159	73.907			16	42.848	514.171			14	15.131	181.570
		10 1/4	8.589	103.065								15	22.477	269.720
		10 1/2	8.673	104.075	10 1/2	x	11 1/2	7.065	84.785			16	31.686	380.229
		11	11.327	135.925			12	9.925	119.103					
		11 1/2	14.224	170.692			12 1/2	13.364	160.374	12 1/2	x	14	12.320	147.840
		12	17.290	207.477			13	16.701	200.411					
		14	31.952	383.429						13	x	14 1/2	12.727	152.726
					11	x	12	7.486	89.832			15	16.858	202.296
9 1/2	x	10 1/2	6.477	77.720			12 1/2	10.879	130.542					
		11	9.075	108.897			13	13.953	167.439	13 1/2	x	15 1/2	16.907	202.879
		11 1/2	11.850	142.206			14	20.841	250.093					
		12 1/2	18.355	220.262						14	x	15 1/2	13.430	161.159
												16	17.692	212.299

## ASTM B505 solids

Size	Weight	Weight	Size	Weight	Weight	Size	Weight	Weight
O.D.	per inch	per foot	O.D.	per inch	per foot	O.D.	per inch	per foot
3/8	0.043	0.516	2 1/8	1.187	14.243	4 3/4	5.841	70.093
1/2	0.075	0.897	2 1/4	1.327	15.925	5	6.439	77.271
5/8	0.112	1.346	2 3/8	1.477	17.720	5 1/4	7.206	86.467
3/4	0.159	1.907	2 1/2	1.636	19.626	5 1/2	7.916	94.991
7/8	0.215	2.579	2 5/8	1.794	21.533	6	9.336	112.037
1	0.271	3.252	2 3/4	1.972	23.664	6 1/2	10.907	130.879
1 1/8	0.346	4.150	2 7/8	2.150	25.794	7	12.636	151.626
1 1/4	0.421	5.047	3	2.346	28.150	7 1/2	14.486	173.832
1 3/8	0.579	6.953	3 1/4	2.738	32.860	8	16.411	196.935
1 1/2	0.607	7.290	3 1/2	3.168	38.019	9	20.673	248.075
1 5/8	0.701	8.411	3 3/4	3.636	43.626	10	25.607	307.290
1 3/4	0.813	9.757	4	4.178	50.131	11	30.822	369.869
1 7/8	0.925	11.103	4 1/4	4.710	56.523	12	35.701	428.411
2	1.056	12.673	4 1/2	5.271	63.252	13	43.215	518.579

